

- B. Hu, H.-X. Liao, S. Munir Alam and **B. Goldstein** (2013). Estimating the probability of polyreactive antibodies disabling a gp41 trimer after T cell-HIV-1 adhesion. (submitted).
- M. I. Monine and **B. Goldstein** (2013). Modeling Fc $\epsilon$ RI-Mediated Mast Cell Signaling: From Ligand Induced Receptor Aggregation to the Aggregation of the Linker for the Activation of T cells (LAT). (submitted).
- J. Tian, A. Sethi, B. Swanson, **B. Goldstein** and S. Gnanakaran (2013). Taste of Sugar at the membrane: Thermodynamics and kinetics of the interaction of a disaccharide with lipid bilayers. *Biophys. J.* (in press).
- D. Barua and **B. Goldstein** (2012). A mechanistic model of early Fc $\epsilon$ RI signaling: lipid rafts and the question of protection from dephosphorylation. *PLoS ONE* 7(12): e51669. doi:10.1371/journal.pone.0051669
- A. Nag, M. I. Monine, B. Goldstein, J. R. Faeder and M. I. Blinov (2012). Mathematical modeling of Syk activation in allergen-stimulated mast cells and basophils. *Advances in Protein Kinases*, Dr. Gabriela Da Silva Xavier (Ed.), ISBN: 978-953-51-0633-3, InTech, Available from: <http://www.intechopen.com/books/advances-in-protein-kinases/mathematical-modeling-of-syk-activation-in-allergen-stimulated-mast-cells-and-basophils>.
- A. Nag, M. I. Monine, A. S. Perelson and **B. Goldstein** (2012). Modeling and simulation of aggregation of membrane protein LAT with molecular variability in the number of binding sites for cytosolic Grb2-SOS1-Grb2. *PloS ONE* 7(3). e28758. doi:10.1371/journal.pone.0028758
- A. Sethi, **B. Goldstein** and S. Gnanakaran (2011). Quantifying intramolecular binding in multivalent interactions: A structure-based synergistic study on Grb2-Sos1 complex. *PloS Comp. Biol.* 7(10): e1002192. Doi:1371/journal.pcbi.1002192.
- L. A. Chylek, B. Hu, M. L. Blinov, T. Emonet, J. R. Faeder, **B. Goldstein**, R. N. Gutenkunst, J. M. Haugh, T. Lipniacki, R. G. Posner, J. Yang and W. S. Hlavacek (2011). Guidelines for visualizing and annotating rule-based models. *Mol. BioSys.* 7. 334-347. DOI: 10.1039/C1MB05077J127.
- R. N. Gutenkunst, D. Coombs, T. Starr, M. L. Dustin and **B. Goldstein** (2011). A Biophysical model of cell adhesion mediated by immunoadhesin drugs and antibodies. (2011). *PloS ONE*. 6(5): e19701. Doi:10.1371/journal.pone.0019701.( PMC3100730)
- A. Nag, J. R. Faeder and **B. Goldstein** (2010). Shaping the response: The role of Fc $\epsilon$ RI and Syk expression levels in mast cell signaling. *IET Systems Biol.* 6, 334-347. (PMC3057513)
- A. Nag, M. I. Monine, Michael L. Blinov and **B. Goldstein** (2010). A detailed mathematical model predicts serial engagement of IgE- Fc $\epsilon$ RI complexes can enhance Syk activation in mast cells. *J. Immunol.* 185, 3268-3276. (PMC3102320)

- A. Nag, M. I. Monine, J. R. Faeder and **B. Goldstein** (2009). Aggregation of membrane proteins by cytosolic cross-linkers: Theory and simulation of the LAT-Grb2-SOS1 system. *Biophys. J.* **96**, 2604-2623. (PMC2711295)
- S. Lauer, Y. A. Kunde, T. A. Apodaca, **B. Goldstein** and E. Hong-Geller (2009). Soluble MD2 increases TLR4 Levels on the epithelial cell surface. *Cell. Immunol.* **225**, 8-16.
- R. Das, E. Baird, S. Allen, B. Baird, D. Holowka and **B. Goldstein** (2008). Binding mechanisms of PEGylated ligands reveal multiple effects of PEG scaffold. *Biochemistry* **47**, 1017-1030.
- B. Goldstein**, D. Coombs, J. R. Faeder and W. S. Hlavacek (2008). Kinetic Proofreading Model. *Adv. Exp. Med. Biol.* **640**, 82-94. In: Multichain Immune Recognition Receptor Signaling: From Spatiotemporal Organization to Human Disease (A.B. Sigalov, Editor), Ch. 8. Landes Bioscience, Austin, TX. (ISBN: 978-0-387-09788-6)
- M. L. Dustin, T. Starr, D. Coombs, G. R. Majeau, W. Meier, P. S. Hochman, A. Douglass, R. Vale, **B. Goldstein** and A. Whitty (2007). Quantification and modeling of tripartite CD2, CD58FC chiera (Alefacept) and CD16 mediated cell adhesion. *J. Cell Biol.* **282**, 34748-34757.
- K. W. Wucherpfennig, P. M. Allen, F. Celada, I. R. Cohen, R. De Boer, K. C. Garcia, **B. Goldstein**, R. Greenspan, D. Hafler, P. Hodgkin, E. S. Huseby, D. Krakauer, D. Nemazee, A. S. Perelson, C. Pinilla, R. K. Strong and E. Sercarz (2007). Polyspecificity of T cell and B cell receptor recognition. *Seminars in Immunol.* **19**, 216-224.
- B. Goldstein**, H. Levine and D. Torney (2007). Diffusion limited reaction. *SIAM J. APPL. MATH.* **67**, 1147-1165.
- C. Torgioe, J. R. Faeder, J. M. Oliver and **B. Goldstein** (2007). Kinetic proofreading of ligand-Fc $\epsilon$ RI interactions may persists beyond LAT phosphorylation. *J. Immunol.* **178**, 3530-3535.
- X. He, D. Coombs, D. G. Myszka and **B. Goldstein**. A theoretical and experimental study of the competition for ligand in a Biacore flow cell (2006). *Bull. Math. Biol.* **68**, 1125-1150.
- M. L. Blinov, J. R. Faeder, **B. Goldstein** and W. S. Hlavacek (2006). A network model of early events in epidermal growth factor signaling that accounts for combinatorial complexity. *BioSystems* **83**, 136-151.
- D. Coombs and **B. Goldstein** (2005). T cell activation: Kinetic proofreading, serial engagement and cell adhesion. *J. Comput. Appl. Math.* (Special Issue on Mathematics Applied to Immunology - Edited by G. Bocharov, H. Brunner, Z. Grossman.) **184**, 121-139.
- Faeder, J.R., M. L. Blinov, **B. Goldstein** and W. S. Hlavacek (2005). Combinatorial complexity and dynamical restriction of network flows in signal transduction. *Systems Biology* **2**, 5-15.
- P. A. Gonzalez, L. J. Carreno, D. Coombs, J. E. Mora, E. Palmieri, **B. Goldstein**, S. G. Nathenson and A. M. Kalergis (2005). Effects of pMHC and TCR dwell time on T cell activation. *Proc. Natl. Acad. Sci. USA* **102**, 4824-4829.
- J. R. Faeder, M. L. Blinov, **B. Goldstein** and W. S. Hlavacek (2004). Ruled-based modeling of biochemical networks. *Complexity* **10**, 22-41.

- M. Blinov, J. R. Faeder, **B. Goldstein** and W. S. Hlavacek (2004). BioNetGen: software for rule-based modeling of signaling transduction based on the interactions of molecular domains. *Bioinformatics* **20**, 3289-3291.
- D. Coombs and **B. Goldstein** (2004). Effects of the geometry of the immunological synapse on the delivery of effector molecules. *Biophys. J.* **87**: 2215-2220.
- B. Goldstein**, J. R. Faeder and W. S. Hlavacek (2004). Mathematical models of immune receptor signaling. *Nature Rev. Immunol.* **4**:445-456.
- D. Coombs, M. Dembo, M., C. Wofsy, and **B. Goldstein**. (2004). Equilibrium thermodynamics of cell-cell adhesion mediated by multiple ligand-receptor pairs. *Biophys. J.* **86**:1408-1423.
- W. S. Hlavacek, J. R. Faeder, M. L. Blinov, A. S. Perelson and **B. Goldstein** (2003). The complexity of complexes in signal transduction. *Biotech. Bioeng.* **84**:784-794.
- J. R. Faeder, W. S. Hlavacek, I. Reischl, M. L. Blinov, H. Metzger, A. Redondo, C. Wofsy and **B. Goldstein** (2003). Investigation of early events in Fc $\epsilon$ RI-mediated signaling using a detailed mathematical model. *J. Immunol.* **170**:3769-3781.
- D. Coombs, A. M. Kalergis, S. G. Nathenson, C. Wofsy and **B. Goldstein** (2002). Activated TCR remain marked for internalization after dissociation from peptide-MHC. *Nature Immunol.* **3**:926-931. [Commentary pp. 895-896]
- D. Coombs, C. Wofsy and **B. Goldstein** (2002). The role of serial engagement and kinetic proofreading in peptide-induced T cell activation. Proceedings 15<sup>th</sup> International Symposium on Mathematical Theory of Networks and Systems. p1-8.
- W. S. Hlavacek, A. Redondo, C. Wofsy and **B. Goldstein** (2002). Kinetic proofreading in receptor-mediated transduction of cellular signals. *Bull. Math. Biol.* **64**:887-911.
- B. Goldstein**, J. R. Faeder, W. S. Hlavacek, M. L. Blinov, A. Redondo, and C. Wofsy (2002). Modeling the Early Signaling Events Mediated by Fc $\epsilon$ RI. *Mol. Immunol.* **38**:1213-1219.
- C. Wofsy and **B. Goldstein** (2002). Effective rate models for receptors distributed in a Layer above a surface: application to cells and BIACORE. *Biophys. J.* **82**:1743-1755.
- S. F. Liparoto, D. G. Myszka, Z. Wu, **B. Goldstein**, T. M. Laue and T. Ciardelli (2002). Analysis of the role of interleukin-2 receptor gamma chain in ligand binding. *Biochemistry* **41**:2543-2551.
- S. Lauer, **B. Goldstein**, R. L. Nolan and J. P. Nolan (2002). Analysis of cholera toxin-ganglioside interactions by flow cytometry. *Biochemistry* **41**:1742-1751.
- W. S. Hlavacek, A. Redondo, H. Metzger, C. Wofsy and **B. Goldstein** (2001). Kinetic proofreading models for cell signaling predict ways to escape kinetic proofreading. *Proc. Natl. Acad. Sci. USA* **98**:7295-7300. [Commentary pp. 6989-6990]
- C. Wofsy, D. Coombs and **B. Goldstein** (2001). Calculations show substantial serial engagement of T cell receptors. *Biophys. J.* **80**:606-612.

X. He, N. Li and **B. Goldstein** (2000). Lattice Boltzmann simulation of diffusion-convection systems with surface chemical reactions. *Molecular Simulation* **25**:145-156.

H. Metzger, H. Chen, **B. Goldstein**, H. Haleem-Smith, J. K. Inman, M. Peirce, C. Torigoe, B. Vonakis, and C. Wofsy (1999). Signal transduction by Fc $\epsilon$ RI: Analysis of the early molecular events. *Allergology Int.* **48**:161-169.

D. A. Edwards, **B. Goldstein** and D. S. Cohen (1999). Transport effects on surface-volume biological reactions. *J. Math. Biol.* **39**:533-561.

**B. Goldstein**, D. Coombs, X. He, A. R. Pineda and C. Wofsy (1999). The influence of transport on the kinetics of binding to surface receptors: Application to cells and BIACORE. *J. Mol. Recogn.* **12**:1-7.

C. Wofsy, B. M. Vonakis, H. Metzger and **B. Goldstein** (1999). One Lyn is sufficient to initiate phosphorylation of aggregated Fc $\epsilon$ RI. *Proc. Natl. Acad. Sci. USA* **96**:8615-8620.

T. Mason, A. R. Pineda, C. Wofsy and **B. Goldstein** (1999). Effective rate models for the analysis of transport-dependent biosensor data. *Math. Biosci.* **159**:123-144.

H. Metzger, H. Chen, **B. Goldstein**, H. Haleem-Smith, J. K. Inman, M. Peirce, C. Torigoe., B. Vonakis, and C. Wofsy (1999). A quantitative approach to signaltransduction. *Immunol. Letts.* **48**:53-57.

Z. Wu, **B. Goldstein**, T. M. Laue, S. E. Liparoto, M. J. Nemeth and T. L. Ciardelli (1999). Solution assembly of the pseudo-high affinity and intermediate affinity interleukin-2. *Protein Sci.* **8**:482-489.

D. G. Myszka, X. He, M. Dembo, T. Morton and **B. Goldstein** (1998). Extending the range of rate constants available from BIACORE: Interpreting mass transport influenced binding data. *Biophys. J.* **75**:583-594.

K. Xu, **B. Goldstein**, D. Holowka and B. Baird (1998). Kinetics of antigen binding to IgE-Fc $\epsilon$ RI and tyrosine phosphorylation. *J. Immunol.* **160**:3225-3235.

C. Wofsy, C. Torigoe, U. M. Kent, H. Metzger and **B. Goldstein** (1997). Exploiting the difference between intrinsic and extrinsic kinases: Implications for regulation of signaling by immunoreceptors. *J. Immunol.* **159**:5984-5992.

N. Harris, **B. Goldstein**, D. Holowka and B. Baird (1997). Altered patterns of tyrosine phosphorylation and p72SYK activation for sterically restricted cyclic dimers of IgE-Fc $\epsilon$ RI. *Biochemistry* **36**:2237-2242.

C. Torigoe, **B. Goldstein**, C. Wofsy and H. Metzger (1997). Shuttling of initiating kinase between discrete aggregates of the high affinity receptor regulates the cellular response. *Proc. Natl. Acad. Sci. USA* **94**:1372-1377.

K. Subramanian, D. Holowka, B. Baird and **B. Goldstein** (1996). The Fc segment of IgE influences the kinetics of dissociation of a symmetrical bivalent ligand from cyclic dimeric complexes. *Biochemistry* **35**:5518-5527.

W. Zining, K. W. Johnson, **B. Goldstein**, T. M. Laue and T. L. Ciardelli (1996). Solution assembly of cytokine receptor ectodomain complexes. In: *Techniques in Protein Chemistry VII*, J. W. Crabb, ed., Academic Press, New York. pp 45-56.

**B. Goldstein** and C. Wofsy (1996). Why is it so hard to dissociate multivalent antigens from cell surface antibodies? *Immunology Today* **17**:77-80.

R. G. Posner, K. Subramanian, **B. Goldstein**, J. Thomas, T. Feder, D. Holowka and B. Baird (1995). Simultaneous crosslinking by two non-triggering bivalent ligands causes synergistic signaling of IgE-Fc $\epsilon$ R1 complexes (1995). *J. Immunol.* **155**:3601-3609.

C. Wofsy, U. M. Kent, S.-Y. Mao, H. Metzger and **B. Goldstein** (1995). Kinetics of tyrosine phosphorylation when IgE dimers bind to Fc $\epsilon$  receptors on rat basophilic leukemia cells. *J. Biol. Chem.* **270**:20264-20272.

Z. Wu, K. W. Johnson, **B. Goldstein**, Y. Choi, S. F. Eaton, T. M. Laue and T. L. Ciardelli (1995). Solution assembly of a soluble, heteromeric, high affinity interleukin-2 receptor complex. *J. Biol. Chem.* **270**:16039-16044.

**B. Goldstein** and M. Dembo (1995). Approximating the effects of diffusion on reversible reactions at the cell surface: Ligand-receptor kinetics. *Biophys. J.* **68**:1222-1230.

R. G. Posner, C. Wofsy and **B. Goldstein** (1995). The kinetics of bivalent ligand-bivalent receptor aggregation: Ring formation and the breakdown of the equivalent site approximation. *Math. Biosci.* **126**:171-190.

H. Metzger, **B. Goldstein**, U. Kent, S.-Y. Mao, C. Pribluda, V. Pribluda, C. Wofsy and T. Yamashita (1994). Quantitative aspects of receptor aggregation. *Adv. Exp. Med. Biol.* **365**:175-183.

U. M. Kent, S.-Y. Mao, C. Wofsy, **B. Goldstein**, S. Ross and H. Metzger (1994). Dynamics of signal transduction after aggregation of cell-surface receptors: Studies on the type I receptor for IgE. *Proc. Natl. Acad. Sci. USA* **91**:3087-3091.

**B. Goldstein** and C. Wofsy (1994). Aggregation of cell surface receptors. In: *Lectures on Mathematics in the Life Sciences* **24**: Cell Biology. American Mathematical Society, Providence, RI, pp 109-135.

B. E. Landgraf, **B. Goldstein**, D. P. Williams, J. R. Murphy, T. R. Sana, K. A. Smith, and T. L. Ciardelli (1992). Recombinant interleukin-2 analogs: dynamic probes for receptor structure. *J. Biol. Chem.* **267**:18511-18519.

C. Wofsy and **B. Goldstein** (1992). Interpretation of Scatchard plots for aggregating receptor systems. *Math. Biosci.* **12**:115-154.

A. S. Perelson and **B. Goldstein** (1992). Interaction of interleukin-2 with its cell surface receptors: Interpretation of equilibrium binding experiments via Scatchard plots. In: *Theoretical and Experimental Insights into Immunology*, NATO ASI Series, vol. **H66**, A. S. Perelson and G. Weisbuch, eds. Springer-Verlag, NY, pp. 117-148.

C. Wofsy, **B. Goldstein**, K. Lund, and H. S. Wiley (1992). Implications of epidermal growth factor (EGF) induced EGF receptor aggregation. *Biophys. J.* **63**:98-110.

R. G. Posner, B. Lee, D. H. Conrad, D. Holowka, B. Baird, and **B. Goldstein** (1992). Aggregation of IgE-receptor complexes on rat basophilic leukemia cells does not change the intrinsic affinity but can alter the kinetics of the ligand-IgE interaction. *Biochemistry* **31**:5350-5356.

**B. Goldstein**, D. Jones, I. G. Kevrekidis, and A. S. Perelson (1992). Evidence for p55-p75 heterodimers in the absence of interleukin-2 from Scatchard plot analysis. *Int. Immunol.* **4**:23-32.

J. Erickson, R. G. Posner, **B. Goldstein**, D. Holowka, and B. Baird (1991). Analysis of ligand binding and crosslinking of receptors in solution and on cell surfaces. In: *Fluorescence in Biochemistry and Cell Biology*, G. Dewey, ed. Plenum Publishing, New York, pp. 169-195.

J. W. Erickson, R. G. Posner, **B. Goldstein**, D. Holowka, and B. Baird (1991). Bivalent ligand dissociation kinetics from receptor-bound immunoglobulin E: Evidence for a time dependent increase in ligand rebinding at the cell surface. *Biochemistry* **30**:2357-2363.

R. G. Posner, J. W. Erickson, D. Holowka, B. Baird, and **B. Goldstein** (1991). Dissociation kinetics of bivalent ligand - Immunoglobulin E aggregates in solution. *Biochemistry* **30**:2348-2356.

C. Wofsy and **B. Goldstein** (1990). Crosslinking of Fc $\gamma$  receptors and surface antibodies: Theory and application. *J. Immunol.* **145**:1814-1825.

**B. Goldstein**, R. G. Posner, D. Torney, J. Erickson, D. Holowka, and B. Baird (1989). Competition between solution and cell surface receptors for ligand: The dissociation of hapten bound to surface antibody in the presence of solution antibody. *Biophys. J.* **56**:955-966.

**B. Goldstein** (1989). Diffusion limited effects of receptor clustering, *Comments on Theoretical Biology* **1**:109-127.

F. W. Wiegel and **B. Goldstein** (1988). Cap formation by proteins on the cell membrane: Excluded volume effects. *Mod. Phys. Letters B* **2**:857-859.

B. Baird, J. Erickson, **B. Goldstein**, P. Kane, A. K. Menon, D. Robertson, and D. Holowka (1988). Progress toward understanding the molecular details and consequences of IgE-receptor crosslinking. In: *Theoretical Immunology, Part I*, A. S. Perelson, ed. Addison-Wesley Publishing, New York, pp. 41-59.

**B. Goldstein** (1988). Desensitization, histamine release and aggregation of IgE on human basophils. In: *Theoretical Immunology, Part I*, A. S. Perelson, ed. Addison-Wesley Publishing, New York, pp. 3-40.

**B. Goldstein**, C. Wofsy, and H. Echavarria-Heras (1988). The effect of membrane flow on the capture of receptors by coated pits: Theoretical results. *Biophys. J.* **53**:405-414.

**B. Goldstein** and F. W. Wiegel (1988). The Distribution of cell surface proteins on spreading cells: Comparison of theory with experiment. *Biophys. J.* **53**:175-184.

D. Torney and **B. Goldstein** (1987). Rates of diffusion-limited reaction in periodic systems. *J. Stat. Phys.* **49**:725-750.

- F. W. Wiegel, B. J. Geurts, and **B. Goldstein** (1987). Statistical properties of DNA antibody complexes in systemic lupus erythematosus. *J. Phys. A.* **20**:5205-5218.
- J. Erickson, **B. Goldstein**, D. Holowka, and B. Baird (1987). The effect of receptor density on the forward rate constant for binding of ligands to cell surface receptors. *Biophys. J.* **52**:657-662.
- F. W. Wiegel and **B. Goldstein** (1987). Equilibrium theory for the binding of bivalent antibodies to regularly spaced sites on a DNA molecule. *Biopolymers* **26**:297-314.
- C. Wofsy and **B. Goldstein** (1987). The effect of cooperativity on the equilibrium binding of symmetric bivalent ligands to antibody: Theoretical results with application to histamine release from basophils. *Mol. Immunol.* **24**:151-161.
- J. Erickson, P. Kane, **B. Goldstein**, D. Holowka, and B. Baird (1986). Crosslinking of IgE-receptor complexes at the cell surface: A fluorescence method for studying the binding of monovalent and bivalent ligands to IgE. *Mol. Immunol.* **23**:769-776.
- S. Esrig, L. J. Rubinstein, and **B. Goldstein** (1985). The time development of direct hemolytic plaques: Implications for the binding of IgM to cell surface haptens. *Mol. Immunol.* **22**:1323-1332.
- C. Wofsy, H. Echavarria-Heras, and **B. Goldstein** (1985). Effect of preferential insertion of LDL receptors near coated pits. *Cell Biophysics* **7**:197-204.
- D. W. MacGlashan, M. Dembo, and **B. Goldstein** (1985). Test of a theory relating to the crosslinking of IgE antibody on the surface of human basophils. *J. Immunol.* **135**:4129-4134.
- A. Perelson and **B. Goldstein** (1985). A new look at the equilibrium aggregate Size distribution of self-associating trivalent molecules. *Macromolecules* **18**:1588-1597.
- R. Klausner, J. van Renswoude, J. Harford, C. Wofsy, and **B. Goldstein** (1985). Mathematical modeling of receptor mediated endocytosis. In: *Endocytosis*, I. Pastan and M. C. Willingham, eds. Plenum Press, New York, pp. 259-279.
- B. Goldstein**, R. Griego, and C. Wofsy (1984). Diffusion limited forward rate constants in two dimensions: Application to the trapping of cell surface receptors by coated pits. *Biophys. J.* **46**:573-586.
- J. H. J. Van Opheusden, F. W. Wiegel, and **B. Goldstein** (1984). Forward rate constants for receptor clusters: Variational methods for upper and lower bounds. *Biophys. Chem.* **20**:237-248.
- C. Wofsy and **B. Goldstein** (1984). Coated pits and low density lipoprotein receptor recycling. In: *Cell Surface Dynamics: Concepts and Models*, A. S. Perelson, C. DeLisi, and F. Wiegel, eds. Marcel Dekker, New York, pp. 405-456.
- B. Goldstein** and M. Dembo (1984). The IgE mediated activation and desensitization of human basophils. In: *Cell Surface Dynamics: Concepts and Models*, A. S. Perelson, C. DeLisi and F. Wiegel, eds. Marcel Dekker, New York, pp. 331-382.

**B. Goldstein** and A. Perelson (1984). Equilibrium theory for the clustering of bivalent cell surface receptors by trivalent ligands: With application to histamine release from basophils. *Biophys. J.* **45**:1109-1123.

**B. Goldstein** and F. W. Wiegel (1983). The effect of receptor clustering on diffusion-limited forward rate constants. *Biophys. J.* **43**:121-125.

**B. Goldstein** and M. Dembo (1982). The on and off of human allergies. *Los Alamos Science* **3**:20-41.

M. Dembo, A. K. Sobotka, L. M. Lichtenstein, and **B. Goldstein** (1982). Kinetic analysis of histamine release due to covalently linked IgE dimers. *Mol. Immunol.* **19**:421-434.

A. K. Sobotka, M. Dembo, **B. Goldstein**, H. Metzger, and L. M. Lichtenstein (1981). Qualitative characteristics of histamine release from basophils by covalently cross-linked IgE. *J. Immunol.* **127**:2285-2291.

**B. Goldstein**, C. Wofsy, and G. Bell (1981). Interaction of low density lipoprotein receptors with coated pits on human fibroblasts: Estimate of the forward rate constant and comparison with the diffusion limit. *Proc. Nat. Acad. Sci. USA* **78**:5695-5698.

**B. Goldstein** and C. Wofsy (1981). Analysis of coated pit recycling on human fibroblasts. *Cell Biophysics* **3**:251-277.

**B. Goldstein** and C. Wofsy (1980). Theory of equilibrium binding of a bivalent ligand to cell surface antibody: The effect of antibody heterogeneity on cross-linking. *J. Math Biol.* **10**:347-366.

A. Perelson, **B. Goldstein**, and S. Rocklin (1980). Optimal strategies in immunology. III. The IgM-IgG Switch. *J. Math. Biol.* **10**:209-256.

M. Dembo and **B. Goldstein** (1980). A Model of cell activation and desensitization by surface antigen: The case of histamine release from human basophils. *Cell* **22**:59-67.

**B. Goldstein**, M. Dembo, A. K. Sobotka, and L. M. Lichtenstein (1979). Some invariant properties of IgE mediated basophil activation and desensitization. *J. Immunol.* **123**:1873-1882.

M. Dembo, **B. Goldstein**, A. K. Sobotka, and L. M., Lichtenstein (1979). Degranulation of Human Basophils: A theoretical model of histamine release and desensitization due to a bivalent penicilloyl hapten. *J. Immunol.* **123**:1864-1872.

M. Dembo and **B. Goldstein** (1979). The Mechanism of histamine release from human basophils. In: *Physical Chemical Aspects of Cell Surface Events in Cellular Regulation*, C. DeLisi and R. Blumenthal, eds. Elsevier/North Holland, New York, pp. 243-259.

**B. Goldstein** and A. Perelson (1979). The Effect of indicator layer thickness on the interpretation of hemolytic plaque results. *Mol. Immunol.* **16**:395-400.

**B. Goldstein**, M. Dembo, and F. J. Malveaux (1979). Some quantitative aspects of the passive sensitization of human basophils. *J. Immunol.* **122**:830-833.

M. Dembo, **B. Goldstein**, A. K. Sobotka, and L. M. Lichtenstein (1979). Histamine release due to bivalent penicilloyl haptens: The relation of activation and desensitization of basophils to dynamic aspects of ligand binding to cell surface antibody. *J. Immunol.* **122**:518-528.

A. K. Sobotka, M. Dembo, **B. Goldstein**, and L. M. Lichtenstein (1979). Antigen-specific desensitization of human basophils. *J. Immunol.* **122**:511-517.

C. Wofsy, **B. Goldstein**, and M. Dembo (1978). Theory of equilibrium binding of asymmetric bivalent haptens to cell surface antibody: Application to histamine release from basophils. *J. Immunol.* **121**:593-601.

M. Dembo, **B. Goldstein**, A. K. Sobotka, and L. M. Lichtenstein (1978). Histamine release due to bivalent penicilloyl haptens: Control by the number of cross-linked IgE antibodies on the basophil plasma membrane. *J. Immunol.* **121**:354-358.

M. Dembo and **B. Goldstein** (1978). Theory of equilibrium binding of symmetric bivalent haptens to cell surface antibody: Application to histamine release from basophils. *J. Immunol.* **121**:345-353.

M. Dembo and **B. Goldstein** (1978). A thermodynamic model of binding of flexible bivalent haptens to antibody. *Immunochem.* **15**:307-313.

**B. Goldstein** (1978). Limitation of the Jerne hemolytic plaque technique. In: *Theoretical Immunology*, G. Bell, A. Perelson, and G. Pimbley, eds. Marcel Dekker, New York, pp. 89-120.

**B. Goldstein** (1977). Some mathematical models in immunology, II. In: *Lectures on Mathematics in the Life Sciences*, S. Levin, ed. Am. Math. Soc., Providence, pp. 25- 56.

S. M. Esrig, S. P. Racis, H. Lictblau, R. Kruger, and **B. Goldstein** (1977). A computer method for determining plaque size and plaque morphology. *J. Immunol. Methods* **16**:301-312.

**B. Goldstein** and A. Perelson (1976). The electrophoretic hemolytic plaque assay-theory. *Biophys. Chem.* **4**:349-362.

**B. Goldstein** and C. DeLisi (1976). Immunodiffusion in gels containing erythrocyte antigen, II. Analysis of experiments involving the diffusion of antiserum from a circular well. *Immunochem.* **13**:349-362.

**B. Goldstein**, C. DeLisi, and J. Abate (1975). Immunodiffusion in gels containing erythrocyte antigen, I. Theory of diffusion of antiserum from a circular well. *J. Theor. Biol.* **52**:317-334.

**B. Goldstein** (1975). Theory of hapten binding to IgM: The question of repulsive interactions between binding sites. *Biophys. Chem.* **3**:363-367.

C. DeLisi and **B. Goldstein** (1975). The kinetics of hemolytic plaque formation II. Inhibition of plaques by hapten. *J. Theor. Biol.* **51**:313-355.

**B. Goldstein** (1975). Effect of antibody emission rates on plaque morphology. *Nature* **253**:637-639.

C. DeLisi and **B. Goldstein** (1974). On the mechanism of hemolytic plaque inhibition. *Immunochem.* **11**:661-665.

**B. Goldstein** and B. H. Zimm (1973). Anomalies in sedimentation I. Stability theory of sedimenting entanglements in the "tight-binding" limit. *Biopolymers* **12**:857-866.

**B. Goldstein** (1973). Theory of melting of the triple helix poly (A+2U) for a 1:2 mixture of poly A to poly U. *Biopolymers* **12**:461-475.

**B. Goldstein** and B. H. Zimm (1971). Effect of concentration and intermolecular forces on the sedimentation of polystyrene spheres. *J. Chem. Phys.* **54**:4408-4413.

**B. Goldstein** and C. DeLisi (1969). Theory of a helix-to-coil transition in a triple-stranded macromolecule. *J. Chem. Phys.* **51**:431-434.



